

Prospective Assessment of Nanotechnology: Case Study on Nanosilver in Textiles


Tobias Walser¹, Evangelia Demou¹, Daniel J. Lang², Stefanie Hellweg¹

Master Thesis, Presentation for DF38, June 19 2009



¹Institute for Environmental Systems Design, ETH Zurich ²Institute for Environmental Decisions, ETH Zurich

Increasing nano-enabled products




- nanosilver: 60m²/g, bacteriotoxic

Woodrow Wilson
 Institute (2009)

Goal of the Study


- **Cradle-to-grave environmental assessment** of nanosilver textile applications
- **Comparison of two nanosilver production technologies**, considering different development stages
- **Formative Scenario Analysis** (*Wiek et al. 2008*) for a prospective view, including future developments in society and nanotechnology industry: case Switzerland 2020

System Boundaries of the LCA



- inclusive raw material acquisition, energy and precursor production, and emissions


Life cycle assessment of nanosilver T-shirts



- **Use phase:** 15 T-shirts/cycle, 100 washings/T-shirt
- **Uncertainty bars:** 95%-CI; **Electricity mix:** UCTE
- **No** nanospecific environmental impacts included

Formative Scenario Analysis

- Possible future states of the analyzed system
- Groups of determining variables



Scenarios: Environmental impacts (Switzerland, 2020)

Estimated development


- foreseen technological development
- hesitating consumers

Slow development

- slow development of nanotechnology
- strict regulations
- sceptic consumers

Breakthrough

- enhanced efficiency of nanoparticle processes
- supportive regulations
- consumers use the full potential of nano-enabled products



Summary/Conclusion

- Different nanosilver coating production technologies have significantly different environmental impacts
- The use phase of (nanosilver) T-shirts is sensitive to washing behaviour
- Nanosilver textiles may contribute to environmental benefits **IF** washing frequency is lowered
- Nanosilver emissions are not considered by current impact assessment methods


Outlook

- Consideration of nanoparticle-related effects in LCA
- Measurement of release rates and effectiveness of nanosilver applications
- Performance based indicators for nanoenabled products – what are net environmental benefits or impacts?

Questions?

Email
tobias.walser@ifu.baug.ethz.ch

Acknowledgements
Height, Murray (HeiQ)
Körner, Enrico (EMPA)
Luechinger, Norman (Nanograde LLC)



Pratsinis (2009)

Thank you for your attention!

Key sources

- Hannemann, S.**, *Flame-Made Supported Noble Metal Nanoparticles in Partial Oxidation of Methane*, in Department of Chemistry. 2008, ETH Zurich: Zurich. p. 148.
- Hegemann, D.** and D.J. Balazs, *Nano-scale treatment of textiles using plasma technology*, in Plasma technologies for textiles, R. Shishoo, Editor. 2007, CRC Press. p. 158-180.
- Heilmann, A.**, *Polymer Films with Embedded Metal Nanoparticles*. Materials Science, ed. R. Hull, R.M. Osgood, and J. Parisi. Vol. 52. 2003, Heidelberg: Springer. 216.
- ISO 14040-14048**, *Environmental Management - Life Cycle Assessment*, International Organization for Standardization, Editor. 2002: Geneva, Switzerland.
- Mueller, R.**, L. Mädler, and S.E. Pratsinis, *Nanoparticle synthesis at high production rates by flame spray pyrolysis*. Chemical Engineering Science, 2003. 58(10): p. 1969-1976.
- Mueller, N.C.** and B. Nowack, *Exposure Modeling of Engineered Nanoparticles in the Environment*. Environmental Science & Technology, 2008. 42(12): p. 4447-4453.
- Shishoo, R.**, et al., *Plasma technologies for textiles*. 1 ed. Woodhead Publishing in Textiles, ed. R. Shishoo. 2007: Woodhead Publishing Institute, CRC Press, The Textile Institute,., 320.
- Stark, W.J.** and S.E. Pratsinis, *Aerosol flame reactors for manufacture of nanoparticles*. Powder Technology, 2002. 126(2): p. 103-108.
- Wiek, A.**, D.J. Lang, and M. Siegrist, *Qualitative System Analysis as a means for sustainable governance of emerging technologies: the case of nanotechnology*. Journal of Cleaner Production, 2008. 16: p. 988-999.