

The importance to consider functional unit and use phase instead of mass at gate in declaration

The example of coffee

***DF 41, Bern, Switzerland
June 22, 2010***

***Sebastien Humbert, Dr, Scientific director
Leïla Namoune, Ing. D., Analyst
Carole Dubois, Ing. D., Analyst
Yves Loerincik, Dr, CEO***

Quantis, Lausanne, Switzerland


***Contacts:
sebastien.humbert@quantis-intl.com, +41-79-754-7566***




The importance to consider the proper functional unit



Instant coffee






Drip filter coffee ("traditional coffee")



The importance to consider the proper functional unit




- End-of-life
- Use
- Packg. & Distr.
- Manufacturing
- Production




The importance to consider the use phase



Drip filter
coffee("traditional
coffee")






Capsule espresso
coffee



The importance to consider the use phase

- End-of-life
- Use
- Packg. & Distr.
- Manufacturing
- Production



Message:

- Give relevant information
- Important to consider:
 - Proper functional unit
 - Full life cycle (use phase)
 - (Relevant indicators)

Questions?



Contacts: sebastien.humbert@quantis-intl.com

Message:

- Give relevant information
- Important to consider:
 - Proper functional unit
 - Full life cycle (use phase)
 - (Relevant indicators)

Contacts: sebastien.humbert@quantis-intl.com